




TECHNO VENEERS



TECHNO VENEERS

Una incredibile varietà di finiture e combinazioni differenti per la creazione di ambienti contemporanei, unici e ricercati.
An incredible variety of finishes and design possibilities to create the perfect contemporary, unique and sought after ambience.

Pannelli rigidi, flessibili e cartelle Rigid, flexible and wooden sheet panels		Pannelli rigidi e cartelle Rigid and wooden sheet panels	
S3P5	4	S3P3	28
S3P7,5	6	S6P10 SP	30
S3P10	8	S6P15_3	32
S3P15	10	MILLED P4F04	34
S3P20	12	MILLED P5F05	36
S6P10	14	MILLED P6F06	38
S6P13	16	MILLED P4 6 8 12	40
S6P20	18	MILLED P10F10	42
S10P15	20	MILLED P20F05	44
S13P26	22	MILLED P35F15	46
S15P28	24	WAVE P8	48
		WAVE P12 19	50
		WAVE P17	52
		WAVE P20	54
		WAVE P22	56
		WAVE P23.5	58
		WAVE P25	60
		WAVE P30	62
		WAVE P37,5	64
		WAVE PLUS	66




Pannelli rigidi, flessibili
e cartelle

Rigid, flexible and wooden
sheet panels

S3P5

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



① **2,8 mm**
Spessore finitura

② **0,5 mm**
Tessuto

③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato


① **2,8 mm**
Finish thickness

② **0,5 mm**
Fabric

③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm



④ **0,6 mm**
Bilanciante

⑤ **5 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito


④ **0,6 mm**
Balancing material

⑤ **5 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



④ **0,6 mm**
Bilanciante

⑤ **5 mm**
Passo delle fresature

⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito


④ **0,6 mm**
Balancing material

⑤ **5 mm**
Mills spacing

⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness




Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



S3P7,5

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ② **0,5 mm**
Tessuto
- ③ **15 mm SUPPORTO RIGIDO**
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT
- ④ **0,6 mm**
Bilanciante
- ⑤ **7,5 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
9 mm PANNELLO FLESSIBILE
3 mm CARTELLA
Spessore finito

- ① **2,8 mm**
Finish thickness
- ② **0,5 mm**
Fabric
- ③ **15 mm RIGID SUPPORT**
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT
- ④ **0,6 mm**
Balancing material
- ⑤ **7,5 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
9 mm FLEXIBLE PANEL
3 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



S3P10

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels




	<p>① 2,8 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 0,6 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 2,8 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 0,6 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>① 2,8 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 0,6 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 2,8 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 0,6 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>① 2,8 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 0,6 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 2,8 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 0,6 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>



S3P15

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels




	<p>① 2,8 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p> <p>④ 0,6 mm Bilanciante</p> <p>⑤ 15 mm Passo delle fresature</p> <p>⑥ 19 mm PANNELLO RIGIDO 9 mm PANNELLO FLESSIBILE 3 mm CARTELLA Spessore finito</p>	<p>① 2,8 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>④ 0,6 mm Balancing material</p> <p>⑤ 15 mm Mills spacing</p> <p>⑥ 19 mm RIGID PANEL 9 mm FLEXIBLE PANEL 3 mm WOODEN SHEET Finished thickness</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
--	---	--	---



S3P20

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels






	<p>① 2,8 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 20 mm Passo delle fresature</p> <p>⑥ 19 mm PANNELLO RIGIDO 9 mm PANNELLO FLESSIBILE 3 mm CARTELLA Spessore finito</p>	<p>① 2,8 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,6 mm Balancing material</p> <p>⑤ 20 mm Mills spacing</p> <p>⑥ 19 mm RIGID PANEL 9 mm FLEXIBLE PANEL 3 mm WOODEN SHEET Finished thickness</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
			
			




S6P10

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 1 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 5,6 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 1 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>① 5,6 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 1 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 5,6 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 1 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>① 5,6 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p> <p>⑤ 1 mm Bilanciante</p> <p>⑥ 10 mm Passo delle fresature</p>	<p>① 5,6 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p> <p>⑤ 1 mm Balancing material</p> <p>⑥ 10 mm Mills spacing</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>




S6P13

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels




	<p>① 5,6 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 13 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 12 mm PANNELLO FLESSIBILE 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 13 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 12 mm FLEXIBLE PANEL 6 mm WOODEN SHEET Finished thickness</p>	




S6P20

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ② 0,5 mm
Tessuto
- ③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
- ④ 0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 20 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
12 mm PANNELLO FLESSIBILE
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ② 0,5 mm
Fabric
- ③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
- ④ 0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 20 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
12 mm FLEXIBLE PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm




S10P15

Techno veneers




Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



	<p>① 8,4 mm Spessore finitura</p> <p>② 0,5 mm Tessuto</p> <p>③ 15 mm SUPPORTO RIGIDO 5 mm SUPPORTO FLESSIBILE Pannello MDF Pannello multistrato</p> <p>④ 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 8,4 mm Finish thickness</p> <p>② 0,5 mm Fabric</p> <p>③ 15 mm RIGID SUPPORT 5 mm FLEXIBLE SUPPORT MDF panel Multi-layer panel</p> <p>④ 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Pannelli flessibili / Flexible panels 1000 (vena/grain) x 1800 mm 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 15 mm Passo delle fresature</p> <p>⑥ 24,4 mm PANNELLO RIGIDO 14 mm PANNELLO FLESSIBILE 8,7 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 15 mm Mills spacing</p> <p>⑥ 24,4 mm RIGID PANEL 14 mm FLEXIBLE PANEL 8,7 mm WOODEN SHEET Finished thickness</p>	
			

S13P26

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



- ① 11,2 mm
Spessore finitura
- ② 0,5 mm
Tessuto
- ③ 15 mm **SUPPORTO RIGIDO**
5 mm **SUPPORTO FLESSIBILE**
Pannello MDF
Pannello multistrato
- ④ 0,3 mm **SUPPORTO CARTELLA**
TNT
- ④ 1 mm
Bilanciante
- ⑤ 25,5 mm
Passo delle fresature
- ⑥ 27 mm **PANNELLO RIGIDO**
17 mm **PANNELLO FLESSIBILE**
11,5 mm **CARTELLA**
Spessore finito


- ① 11,2 mm
Finish thickness
- ② 0,5 mm
Fabric
- ③ 15 mm **RIGID SUPPORT**
5 mm **FLEXIBLE SUPPORT**
MDF panel
Multi-layer panel
- ④ 0,3 mm **WOODEN SHEET SUPPORT**
TNT
- ④ 1 mm
Balancing material
- ⑤ 25,5 mm
Mills spacing
- ⑥ 27 mm **RIGID PANEL**
17 mm **FLEXIBLE PANEL**
11,5 mm **WOODEN SHEET**
Finished thickness

- Dimensione standard**
Standard dimension
- Pannelli rigidi / Rigid panels**
3000 (vena/grain) x 1200 mm
- Pannelli flessibili / Flexible panels**
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm
- Cartelle / Wooden sheets**
3130 (vena/grain) x 1220 mm



S15P28

Techno veneers
Pannelli rigidi, flessibili e cartelle
Rigid, flexible and wooden sheet panels



① 16,8 mm
Spessore finitura

② 0,5 mm
Tessuto

③ 15 mm SUPPORTO RIGIDO
5 mm SUPPORTO FLESSIBILE
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT

④ 1 mm
Bilanciante

⑤ 28 mm
Passo delle fresature

⑥ 33 mm PANNELLO RIGIDO
23 mm PANNELLO FLESSIBILE
17 mm CARTELLA
Spessore finito

① 16,8 mm
Finish thickness

② 0,5 mm
Fabric

③ 15 mm RIGID SUPPORT
5 mm FLEXIBLE SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

④ 1 mm
Balancing material

⑤ 28 mm
Mills spacing

⑥ 33 mm RIGID PANEL
23 mm FLEXIBLE PANEL
17 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Pannelli flessibili / Flexible panels
1000 (vena/grain) x 1800 mm
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm





Pannelli rigidi e cartelle
Rigid and wooden
sheet panels

S3P3

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 2,8 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 2,8 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 0,6 mm Bilanciante</p> <p>⑤ 5 mm Passo delle fresature</p> <p>⑥ 19 mm PANNELLO RIGIDO 3 mm CARTELLA Spessore finito</p>	<p>④ 0,6 mm Balancing material</p> <p>⑤ 5 mm Mills spacing</p> <p>⑥ 19 mm RIGID PANEL 3 mm WOODEN SHEET Finished thickness</p>	

S6P10 SP

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 10 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 10 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SHEET Finished thickness</p>	




S6P15 3

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels

	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 18 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 18 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SHEET Finished thickness</p>	



MILLED P4F04

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 8 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 8 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	




MILLED P5F05

Techno veneers

Pannelli rigidi e cartelle


Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT



- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT



- ④ **1 mm**
Bilanciante
- ⑤ **10 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito



- ④ **1 mm**
Balancing material
- ⑤ **10 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm


Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

MILLED P6F06

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels




- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT

- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



- ④ **1 mm**
Bilanciante
- ⑤ **12 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

- ④ **1 mm**
Balancing material
- ⑤ **12 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

MILLED P4|6|8|12

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 4/6/8/12 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 4/6/8/12 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	

MILLED P10F10

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 20 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 20 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	<p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>






MILLED P20F05

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **2,8 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT
- ④ **0,6 mm**
Bilanciante
- ⑤ **20 mm**
Passo delle fresature
- ⑥ **19 mm PANNELLO RIGIDO**
3 mm CARTELLA
Spessore finito

- ① **2,8 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT
- ④ **0,6 mm**
Balancing material
- ⑤ **20 mm**
Mills spacing
- ⑥ **19 mm RIGID PANEL**
3 mm WOODEN SUPPORT
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm



Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

MILLED P35F15


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① 8,4 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 35 mm
Passo delle fresature
- ⑥ 24,4 mm PANNELLO RIGIDO
8,7 mm CARTELLA
Spessore finito

- ① 8,4 mm
Finish thickness

- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material

- ⑤ 35 mm
Mills spacing

- ⑥ 24,4 mm RIGID PANEL
8,7 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm



Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE P8

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① **5,6 mm**
Spessore finitura
- ③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT




- ① **5,6 mm**
Finish thickness
- ③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



- ④ **1 mm**
Bilanciante
- ⑤ **8 mm**
Passo delle fresature
- ⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito




- ④ **1 mm**
Balancing material
- ⑤ **8 mm**
Mills spacing
- ⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

WAVE P12|19


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 12/19 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 12/19 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	<p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>




WAVE P17

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



① **5,6 mm**
Spessore finitura


③ **15 mm SUPPORTO RIGIDO**
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO CARTELLA
TNT

① **5,6 mm**
Finish thickness

③ **15 mm RIGID SUPPORT**
MDF panel
Multi-layer panel
0,3 mm WOODEN SHEET SUPPORT
TNT

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm



④ **1 mm**
Bilanciante

⑤ **17 mm**
Passo delle fresature

⑥ **22 mm PANNELLO RIGIDO**
6 mm CARTELLA
Spessore finito

④ **1 mm**
Balancing material

⑤ **17 mm**
Mills spacing

⑥ **22 mm RIGID PANEL**
6 mm WOODEN SUPPORT
Finished thickness

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm



WAVE P20

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 20 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 20 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	





WAVE P22

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 2,8 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 2,8 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 0,6 mm Bilanciante</p> <p>⑤ 20 mm Passo delle fresature</p> <p>⑥ 19 mm PANNELLO RIGIDO 3 mm CARTELLA Spessore finito</p>	<p>④ 0,6 mm Balancing material</p> <p>⑤ 20 mm Mills spacing</p> <p>⑥ 19 mm RIGID PANEL 3 mm WOODEN SUPPORT Finished thickness</p>	



WAVE P23,5

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 23,5 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 23,5 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	



WAVE P25

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 2,8 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 2,8 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 25 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 25 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	

WAVE P30

Techno veneers
Pannelli rigidi e cartelle
Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 30 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 30 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	






WAVE P37,5


Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



- ① 5,6 mm
Spessore finitura
- ③ 15 mm SUPPORTO RIGIDO
Pannello MDF
Pannello multistrato
0,3 mm SUPPORTO
CARTELLA
TNT



- ④ 1 mm
Bilanciante
- ⑤ 37,5 mm
Passo delle fresature
- ⑥ 22 mm PANNELLO RIGIDO
6 mm CARTELLA
Spessore finito

- ① 5,6 mm
Finish thickness
- ③ 15 mm RIGID SUPPORT
MDF panel
Multi-layer panel
0,3 mm WOODEN
SHEET SUPPORT
TNT

- ④ 1 mm
Balancing material
- ⑤ 37,5 mm
Mills spacing
- ⑥ 22 mm RIGID PANEL
6 mm WOODEN SHEET
Finished thickness

Dimensione standard
Standard dimension

Pannelli rigidi / Rigid panels
3000 (vena/grain) x 1200 mm

Cartelle / Wooden sheets
3130 (vena/grain) x 1220 mm

WAVE PLUS

Techno veneers

Pannelli rigidi e cartelle

Rigid and wooden sheet panels



	<p>① 5,6 mm Spessore finitura</p> <p>③ 15 mm SUPPORTO RIGIDO Pannello MDF Pannello multistrato 0,3 mm SUPPORTO CARTELLA TNT</p>	<p>① 5,6 mm Finish thickness</p> <p>③ 15 mm RIGID SUPPORT MDF panel Multi-layer panel 0,3 mm WOODEN SHEET SUPPORT TNT</p>	<p>Dimensione standard Standard dimension</p> <p>Pannelli rigidi / Rigid panels 3000 (vena/grain) x 1200 mm</p> <p>Cartelle / Wooden sheets 3130 (vena/grain) x 1220 mm</p>
	<p>④ 1 mm Bilanciante</p> <p>⑤ 5 10 11 12 13 16 mm Passo delle fresature</p> <p>⑥ 22 mm PANNELLO RIGIDO 6 mm CARTELLA Spessore finito</p>	<p>④ 1 mm Balancing material</p> <p>⑤ 5 10 11 12 13 16 mm Mills spacing</p> <p>⑥ 22 mm RIGID PANEL 6 mm WOODEN SUPPORT Finished thickness</p>	



Materiali e Finiture / Material and Finishes

Supporto disponibile per cartelle
Available support for wooden sheet




TNT tessuto non tessuto precollato
Pre-glued non-woven fabric TNT

Supporti disponibili per pannelli flessibili
Available supports for flexible panels



Pannello MDF Ignifugo - Idrofugo - CARB2
Pannello MDF pasta nera
MDF panel Fireproof - Waterproof - CARB2
Black MDF panel
Pannello multistrato
Multi-layer panel

Supporti disponibili per pannelli rigidi
Available supports for rigid panels



Pannello MDF Ignifugo - Idrofugo - CARB2
Pannello MDF pasta nera
MDF panel Fireproof - Waterproof - CARB2
Black MDF panel
Pannello multistrato
Multi-layer panel

Tutti i prodotti della collezione TECHNO VENEERS sono disponibili in 12 finiture di precomposto di legno
All products in the TECHNO VENEERS collection are available in 12 reconstituted veneer finishes

Makassar	American walnut	Teal blue**
Ebony	Grey oak	Lichen**
Teak	Light grey	Curry**
Oak	White oak	Peony**
Light American walnut	Gabon ebony	Bamboo natural*
Rosewood	Thermo oak	Bamboo caramel*

Su richiesta
Design personalizzato
Altri supporti e spessori
Verniciatura

On request
Custom design
Other supports and thicknesses
Painting

****Finiture**
disponibili solo per
soluzioni bicolore
***Special** 2440 (vena)
x 1200 mm

****Finishes**
available only for
bicolor solutions
***Special** 2440
(grain) x 1200 mm

